

**The *A list* – it's something to Remember in December and beyond...**

So, what's the *A list* you ask? Why it's the list of Asbestos Survey Requirements. You would be surprised at how many surveys that Spokane Clean Air inspectors find are missing one or more survey requirements. Missing requirements can result in enforcement action. Nobody wants that outcome. So, to help, we've provided the *A list* below.

The A list is required items to include on your surveys. The list is not your complete guide to surveys - if you have questions or need more guidance you can find the Asbestos Control Standards online [here](#) or by contacting us directly.

**The "A List" (aka Asbestos Survey Requirements)**

1. Date that the inspection was performed
2. AHERA inspector signature and certification information
3. Site address or location of where the inspection was performed
4. Description of the structure / areas inspected
5. Purpose of the inspection
6. Detailed description of any limitations of the survey
7. Identify all homogeneous areas and if surface coating, TSI, or miscellaneous
8. Identify material presumed to be ACM
9. Exact location where each sample was taken. Either with a map or other detailed description sufficient for any person to find the material and location. (e.g. kitchen is not a detailed description)
10. Complete copy of lab results and lab information
11. Information regarding ACM to include color, description of location, approximate quantity, description of condition

Finally, a reminder that the property owner, owner's agent, and the AHERA building inspector must retain the survey for 24 months from the date performed and must provide a copy to Spokane Clean Air upon request.

If you have any questions please contact us - our contact information is below.

***On behalf of all of us at Spokane Clean Air, Happy Holidays!***

*Asbestos Updates* is a service of Spokane Clean Air. Please consider forwarding this email to others in your organization or industry so that they may choose to receive *Asbestos Updates*.

- Visit our [asbestos web page](#).
- Review the [asbestos regulation](#) in full.
- Call Spokane Clean Air (509) 477-4727 and ask to speak with an inspector.
- Email questions or comments: [compliance@spokanecleanair.org](mailto:compliance@spokanecleanair.org)

Stay Connected!

