


# Spokane Regional Clean Air Agency Air Quality Report - July 2025


The Air Quality Index (AQI) reached the MODERATE category on five days in July and remained in the GOOD range on the remaining twenty-six days (**Figure 1, Table 1**). Ozone accounted for four of the AQI-MODERATE days and was the predominant pollutant on all but four days. The highest AQI value for the month was 74, which was based on an 8-hour running average concentration of 0.062 ppm recorded on the 1<sup>st</sup> at Spokane-Greenbluff monitoring station (**Figure 2, Table 2**). PM<sub>2.5</sub> reached MODERATE on one day (July 4<sup>th</sup> - fireworks) and was the predominant pollutant on that day. PM<sub>2.5</sub> and PM<sub>10</sub> mass concentration data reported by the network of “low-cost” sensors are not included in Figure 1 or Table 1, 2, or 3. Daily PM<sub>2.5</sub> and PM<sub>10</sub> concentrations recorded across the monitoring network are shown in **Figures 3 and 4**, respectively.

A summary of the current federal air quality standards is provided in **Appendix 1**, an explanation of the AQI is provided in **Appendix 2**, and a summary of daily ozone, PM<sub>2.5</sub>, and PM<sub>10</sub> concentrations and AQIs across the Spokane-area ambient air monitoring network is provided in **Appendix 3**.


**Figure 1:** Daily Air Quality Index (AQI) values for July 2025. The data represent the maximum AQI values across all monitoring stations within Spokane County, but “low-cost” sensor PM<sub>2.5</sub> and PM<sub>10</sub> data are not represented here.




**Figure 2:** Eight-hour maximum ozone concentrations for the Spokane region in July measured at the Spokane-Greenbluff and Cheney-Turnbull air monitoring stations.



**Figure 3:** Daily 24-hour average PM<sub>2.5</sub>, all Spokane County monitoring stations, July 2025. Data plotted using dashed lines were collected using “low-cost” sensors.



**Figure 4: Daily 24-hour average PM<sub>10</sub>, all Spokane County monitoring stations, July 2025. Spokane Valley – Broadway & Glenn is used to determine compliance with the NAAQS.**



**Table 1: AQI summary, July 2025. “Low-cost” sensor data are not represented in Table1, 2, or 3.**

Category	Number of days in July	Number of days this year
Good (0-50)	26	146
Moderate (51-100)	5	66
Unhealthy for Sensitive Groups (101-150)	0	0
Unhealthy (151-200)	0	0
Very Unhealthy (201-300)	0	0
Hazardous (>300)	0	0

**Table 2: Maximum AQI values and pollutant concentrations for this reporting period.**

Pollutant	AQI		Location	Date
Ozone	74 (concentration = 0.062 ppm)	Moderate	Spokane-Greenbluff	7/1
PM <sub>10</sub>	46 (concentration = 49 µg/m³)	Good	Spokane Valley – Broadway & Glenn	7/9
PM <sub>2.5</sub>	58 (concentration = 12.8 µg/m³)	Moderate	Airway Heights – 12 <sup>th</sup> & Lawson	7/4

**Table 3: Maximum AQI values and pollutant concentrations for 2025.**

Pollutant	AQI		Location	Date
Ozone	74 (concentration = 0.062)	Moderate	Spokane-Greenbluff	5/30 and 7/1
PM <sub>10</sub>	51 (mass conc. = 55 µg/m³)	Moderate	Spokane – Augusta & Fiske	1/28
PM <sub>2.5</sub>	74 (conc. = 21.6 µg/m³)	Moderate	Spokane – Augusta & Fiske	1/30

## Appendix 1 – National Ambient Air Quality Standards

The Clean Air Act requires EPA to set National Ambient Air Quality Standards (NAAQS) for six common air pollutants, carbon monoxide (CO), lead (Pb), nitrogen dioxide (NO<sub>2</sub>), particulate matter (PM<sub>10</sub> and PM<sub>2.5</sub>), ground-level ozone (O<sub>3</sub>) and sulfur dioxide (SO<sub>2</sub>; Table A-1). These are known as “criteria” pollutants because the US EPA established regulatory limits to concentrations in ambient air using human health or environmentally based criteria. Carbon monoxide, particulate matter and ozone are monitored in Spokane County by the Spokane Regional Clean Air Agency (SRCAA) and the Washington State Department of Ecology (Ecology).

**Table A-1: National Ambient Air Quality Standards**

Pollutant [links to historical tables of NAAQS reviews]	Primary/ Secondary	Averaging Time	Level	Form	
<a href="#">Carbon Monoxide (CO)</a>	primary	8 hours	9 ppm	Not to be exceeded more than once per year	
		1 hour	35 ppm		
<a href="#">Lead (Pb)</a>	primary and secondary	Rolling 3 month period	0.15 µg/m <sup>3</sup> <sup>(1)</sup>	Not to be exceeded	
<a href="#">Nitrogen Dioxide (NO<sub>2</sub>)</a>	primary	1 hour	100 ppb	98th percentile of 1-hour daily maximum concentrations, averaged over 3 years	
	primary and secondary	1 year	53 ppb <sup>(2)</sup>	Annual Mean	
<a href="#">Ozone (O<sub>3</sub>)</a>	primary and secondary	8 hours	0.070 ppm <sup>(3)</sup>	Annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years	
<a href="#">Particle Pollution (PM)</a>	PM <sub>2.5</sub>	primary	1 year	9.0 µg/m <sup>3</sup>	annual mean, averaged over 3 years
		secondary	1 year	15.0 µg/m <sup>3</sup>	annual mean, averaged over 3 years
		primary and secondary	24 hours	35 µg/m <sup>3</sup>	98th percentile, averaged over 3 years
	PM <sub>10</sub>	primary and secondary	24 hours	150 µg/m <sup>3</sup>	Not to be exceeded more than once per year on average over 3 years
<a href="#">Sulfur Dioxide (SO<sub>2</sub>)</a>	primary	1 hour	75 ppb <sup>(4)</sup>	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years	
	secondary	3 hours	0.5 ppm	Not to be exceeded more than once per year	

**(1)** In areas designated nonattainment for the Pb standards prior to the promulgation of the current (2008) standards, and for which implementation plans to attain or maintain the current (2008) standards have not been submitted and approved, the previous standards (1.5 µg/m<sup>3</sup> as a calendar quarter average) also remain in effect. **(2)** The level of the annual NO<sub>2</sub> standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level. **(3)** Final rule signed October 1, 2015, and effective December 28, 2015. The previous (2008) O<sub>3</sub> standards additionally remain in effect in some areas. Revocation of the previous (2008) O<sub>3</sub> standards and transitioning to the current (2015) standards will be addressed in the implementation rule for the current standards. **(4)** The previous SO<sub>2</sub> standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (a) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (b) any area for which implementation plans providing for attainment of the current (2010) standard have not been submitted and approved and which is designated nonattainment under the previous SO<sub>2</sub> standards or is not meeting the requirements of a SIP call under the previous SO<sub>2</sub> standards (40 CFR 50.4(3)). A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the require NAAQS.

## Appendix 2 – Air Quality Index

The Air Quality Index (AQI) is EPA’s color-coded tool for communicating daily air quality to the public and can be calculated for any of the criteria pollutants except lead, provided monitoring data are available. An index value above 100 indicates that the concentration of a criteria pollutant exceeded the limit established in the NAAQS. Categories of the AQI are “Good” (green, 0-50), “Moderate” (yellow, 51-100), “Unhealthy for Sensitive Groups” (USG; orange, 101-150), “Unhealthy” (red, 151-200), “Very Unhealthy” (purple, 201-300) and “Hazardous” (maroon, 301-500; Table A-2). The PM<sub>2.5</sub> breakpoints were updated when the new annual PM<sub>2.5</sub> standard went into effect on May 6<sup>th</sup>.

**Table A-2: Air pollutant breakpoints for the Air Quality Index.**

Air Quality Index Levels of Health Concern	Color Code	Index Numerical Value	Breakpoints				Health Effects
			O <sub>3</sub> (ppm) 8-hour	PM <sub>2.5</sub> (µg/m <sup>3</sup> ) 24-hour	PM <sub>10</sub> (µg/m <sup>3</sup> ) 24-hour	CO (ppm) 8-hour	
<b>Good</b>	Green	0-50	0.000-0.054	0.0-9.0	0-54	0.0-4.4	Air quality is considered satisfactory and air pollution poses little or no risk.
<b>Moderate</b>	Yellow	51-100	0.055-0.070	9.1-35.4	55-154	4.5-9.4	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.
<b>Unhealthy for Sensitive Groups</b>	Orange	101-150	0.071-0.085	35.5-55.4	155-254	9.5-12.4	People especially sensitive to air pollution may experience health effects. The general public is not likely to be affected. An AQI in this category or above indicates that air pollution exceeds levels acceptable under federal air quality standards.
<b>Unhealthy</b>	Red	151-200	0.086-0.105	55.5-125.4	255-354	12.5-15.4	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.
<b>Very Unhealthy</b>	Purple	201-300	0.106-0.200	125.5-225.4	355-424	15.5-30.4	Health alert: everyone may experience more serious health effects.
<b>Hazardous</b>	Maroon	>300	0.201 to the Significant Harm Level* (0.600 ppm, 2 hour average)	225.5+	425+	30.5+	Health warnings of emergency conditions. The entire population is more likely to be affected.

\*The significant harm level (SHL) is set at a level that represents imminent and substantial endangerment to public health.

### Appendix 3

**Table A-3(1): July summary air quality data for air monitoring stations in Spokane County.** Ozone is reported as a daily maximum 8-hour running average in parts per million (ppm). Particulate matter mass concentration is reported as 24-hour average in micrograms per cubic meter of air ( $\mu\text{g}/\text{m}^3$ ). The Colbert  $\text{PM}_{2.5}$  monitor was offline July 3-17 because of a roofing project at Colbert Elementary School where the monitor is located.

Date	Pollutant Concentration																					
	Ozone		$\text{PM}_{2.5}$ ( $\mu\text{g}/\text{m}^3$ )																$\text{PM}_{10}$ ( $\mu\text{g}/\text{m}^3$ )			
	8-Hour Max		24-Hour Avg																24-Hour Avg			
	Turnbull NWR	Greenbluff	Airway Heights, 12th & Lawson	Colbert, E Greenbluff Rd	Spokane Valley, Broadway & Glenn	Spokane, Augusta & Fiske	Spokane, Sprague & Haven	Spokane, Monroe & Wellesley	Turnbull NWR (sensor)	Spokane Valley, Buckeye & Vista (sensor)	Spokane Valley, Wellesley & Sullivan (sensor)	Spokane Valley, Pines & Mirabeau (sensor)	Spokane, Garland & Lacey (sensor)	Spokane, Joseph & Cincinnati (sensor)	Spokane, Stonewall & Vicksburg (sensor)	Spokane, Thurston & Crestline (sensor)	Greenbluff (sensor)	Spokane, Howard & Nora (sensor)	Spokane, Perry & North Foothills (sensor)	Spokane, Pittsburg & 4th (sensor)	Spokane, Augusta & Fiske	Spokane Valley, Broadway & Glenn
7/1	0.055	0.062	5.7	5.5	7.1	6.9	7.8	6.4	2.7	4.1	3.0	3.3	3.8	4.0	3.6	2.6	2.1	3.5	3.8	2.9	27	19
7/2	0.045	0.050	4.6	5.7	7.0	6.3	7.1	5.2	2.4	3.7	3.0	3.4	3.2	3.1	3.2	2.2	2.2	2.8	3.0	2.5	37	31
7/3	0.047	0.050	2.5		7.2	5.5	5.8	4.1	2.6	4.6	4.5	4.4	3.2	3.3	2.6	3.2	2.8	2.8	3.0	3.0	25	23
7/4	0.035	0.042	12.8		5.4	5.4	5.3	4.4	3.4	3.6	2.9	3.0	3.5	4.4	3.2	2.3	2.1	2.8	3.1	3.2	23	19
7/5	0.036	0.041	4.1		4.8	4.5	4.8	4.1	2.4	3.4	3.0	3.0	2.9	3.0	3.5	2.5	2.7	2.8	2.8	2.8	12	12
7/6	0.047	0.049	4.9		6.2	6.4	6.3	6.0	3.5	5.0	4.1	4.3	4.8	5.0	5.6	3.2	3.4	4.4	4.7	4.0	16	13
7/7	0.051	0.059	6.0		5.7	7.2	7.0	6.1	3.5	5.8	4.3	4.9	5.2	4.7	4.4	4.0	3.7	4.9	5.5	4.6	23	17
7/8	0.055	0.057	4.6		6.1	6.2	6.6	5.5	3.3	4.5	3.6	4.1	4.2	4.3	3.9	2.9	2.9	3.8	4.1	3.2	28	23
7/9	0.035	0.039	2.9		2.8	2.1	3.9	3.5	1.6	2.0	1.9	2.1	1.6	1.6	1.6	1.6	1.7	1.6	1.5	1.5	40	49
7/10	0.034	0.037	2.5		4.7	2.9	2.7	3.8	2.7	2.7	3.2	2.6	2.0	1.8	2.0	1.9	3.3	1.8	1.8	1.9	18	20
7/11	0.044	0.047	7.2		6.1	6.2	7.4	5.9	4.2	5.8	5.6	5.6	4.8	4.7	5.2	4.0	5.3	5.2	4.9	4.5	20	18
7/12	0.034	0.038	2.5		5.6	5.3	6.5	4.0	2.0	4.3	2.7	4.0	3.2	2.4	2.5	1.8	2.4	2.6	2.8	2.9	23	16
7/13	0.038	0.041	2.0		4.0	4.5	5.4	3.9	1.6	2.3	1.9	2.4	2.0	2.2	2.0	1.5	1.6	2.3	2.0	1.6	20	14
7/14	0.035	0.035	2.6		4.3	4.3	6.0	4.6	1.9	3.6	2.9	3.1	3.0	3.0	3.0	2.5	3.3	2.8	3.0	2.4	32	32
7/15	0.033	0.031	2.9		3.0	2.8	3.6	3.8	2.9	2.7	2.6	2.4	2.7	2.1	2.6	2.3	2.4	2.4	2.3	2.4	18	12
7/16	0.044	0.054	5.6		6.2	7.8	8.2	7.7	7.3	8.1	7.5	7.4	7.7	6.9	7.4	7.2	6.6	7.8	7.7	7.3	23	20
7/17	0.049	0.050	6.5		6.6	8.4	9.1	7.3	7.0	7.8	6.9	6.9	7.5	6.8	7.1	6.0	6.0	6.9	7.3	6.4	28	23
7/18	0.053	0.056	7.0	7.2	6.2	7.0	8.2	5.9	4.9	5.5	4.8	5.1	5.1	4.9	4.5	4.0	4.3	5.0	5.2	4.0	30	23
7/19	0.043	0.046	4.0	6.3	5.8	4.6	6.1	5.3	5.1	5.6	5.4	5.4	4.7	4.6	4.5	4.8	4.3	4.6	4.7	4.5	23	22
7/20	0.041	0.042	7.7	10.6	9.9	9.4	10.0	8.8	7.3	9.6	8.9	9.1	8.1	8.1	7.9	8.0	7.5	7.9	8.0	7.1	25	23
7/21	0.041	0.036	10.0	8.0	6.1	6.6	6.9	6.8	7.0	7.3	6.4	6.7	7.4	6.9	7.8	6.2	6.1	6.8	6.8	5.5	24	17
7/22	0.044	0.046	9.7	9.9	7.7	9.2	9.0	8.7	11.0	9.6	8.7	8.6	9.9	9.6	9.8	8.9	8.3	10.1	9.2	8.4	18	14
7/23	0.051	0.054	7.2	7.9	6.1	8.1	7.5	7.7	7.0	8.8	7.6	8.0	8.5	8.3	8.3	6.7	7.2	8.4	8.3	7.1	19	14
7/24	0.046	0.049	7.0	7.6	6.3	7.1	9.0	7.2	7.0	8.1	7.4	7.5	7.3	7.2	6.9	6.4	5.6	7.3	7.2	6.2	26	22
7/25	0.038	0.040	2.6	4.0	1.9	3.0	3.0	3.9	2.3	2.7	2.4	2.6	2.3	2.4	2.4	2.2	2.1	2.4	2.3	2.1	23	19
7/26	0.040	0.039	2.6	3.1	3.5	3.0	4.2	4.1	3.7	2.8	2.4	2.3	3.1	2.5	2.8	2.5	1.4	3.0	3.0	2.5	17	15
7/27	0.032	0.036	1.8	3.4	3.4	3.7	3.3	4.5	2.4	3.4	2.4	2.8	3.2	3.5	3.6	1.7	1.6	3.6	3.2	2.8	18	12
7/28	0.041	0.047	2.2	4.1	2.2	4.2	5.2	3.9	1.7	2.7	1.9	2.3	2.7	2.3	2.4	1.5	1.4	2.3	2.2	1.9	26	16
7/29	0.052	0.053	4.9	4.7	5.1	5.8	7.3	4.6	2.5	3.3	2.4	2.5	3.0	2.8	2.6	2.4	1.9	3.0	3.0	2.7	27	21
7/30	0.048	0.047	5.7	6.8	6.3	5.6	7.0	5.3	3.7	3.8	3.1	3.1	3.3	2.9	3.0	2.8	2.3	3.4	3.4	3.2	26	23
7/31	0.050	0.053	7.3	6.8	6.8	6.8	8.0	6.2	4.5	4.8	3.9	4.3	4.4	3.9	4.0	4.2	3.5	4.3	4.3	4.0	33	25
AVG	0.043	0.046	5.1	6.4	5.5	5.7	6.4	5.5	4.0	4.9	4.2	4.4	4.5	4.3	4.3	3.7	3.6	4.3	4.3	3.8	24	20
MAX	0.055	0.062	12.8	10.6	9.9	9.4	10.0	8.8	11.0	9.6	8.9	9.1	9.9	9.6	9.8	8.9	8.3	10.1	9.2	8.4	40	49

**Table A-3(2): July summary Air Quality Index (AQI) data for air monitoring stations in Spokane County.** See Appendix 2 for more information about the AQI.

Air Quality Index (AQI)																							
Date	Ozone				PM <sub>2.5</sub>																PM <sub>10</sub>		MAXIMUM (Excludes sensors)
	Turnbull NWR	Greenbluff	Airway Heights, 12th & Lawson	Colbert, E Greenbluff Rd	Spokane Valley, Broadway & Glenn	Spokane, Augusta & Fiske	Spokane, Sprague & Haven	Spokane, Monroe & Wellesley	Turnbull NWR (sensor)	Spokane Valley, Buckeye & Vista (sensor)	Spokane Valley, Wellesley & Sullivan (sensor)	Spokane Valley, Pines & Mirabeau (sensor)	Spokane, Garland & Lacey (sensor)	Spokane, Joseph & Cincinnati (sensor)	Spokane, Stonewall & Vicksburg (sensor)	Spokane, Thurston & Crestline (sensor)	Greenbluff (sensor)	Spokane, Howard & Nora (sensor)	Spokane, Perry & North Foothills (sensor)	Spokane, Pittsburg & 4th (sensor)	Spokane, Augusta & Fiske	Spokane Valley, Broadway & Glenn	
7/1	51	74	32	31	39	38	43	36	15	23	17	18	21	22	20	14	12	19	21	16	25	17	74
7/2	42	46	26	32	39	35	39	29	13	21	17	19	18	17	18	12	12	16	17	14	34	28	46
7/3	44	46	14		40	31	32	23	14	26	25	24	18	18	14	18	16	16	17	17	23	21	46
7/4	33	39	58		30	30	29	24	19	20	16	17	19	24	18	13	12	16	17	18	21	18	58
7/5	34	38	23		27	25	27	23	13	19	17	17	16	17	19	14	15	16	16	16	11	11	38
7/6	44	45	27		34	36	35	33	19	28	23	24	27	28	31	18	19	24	26	22	15	12	45
7/7	47	63	33		32	40	39	34	19	32	24	27	29	26	24	22	21	27	31	26	21	16	63
7/8	52	59	26		34	34	37	31	18	25	20	23	23	24	22	16	16	21	23	18	26	21	59
7/9	33	36	16		16	12	22	19	9	11	11	12	9	9	9	9	9	9	8	8	37	46	46
7/10	31	34	14		26	16	15	21	15	15	18	14	11	10	11	11	18	10	10	11	17	18	34
7/11	41	43	40		34	34	41	33	23	32	31	31	27	26	29	22	29	29	27	25	19	16	43
7/12	31	35	14		31	29	36	22	11	24	15	22	18	13	14	10	13	14	16	16	21	15	36
7/13	35	38	11		22	25	30	22	9	13	11	13	11	12	11	8	9	13	11	9	19	13	38
7/14	33	32	14		24	24	33	26	11	20	16	17	17	17	17	14	18	16	17	13	30	30	33
7/15	31	29	16		17	16	20	21	16	15	14	13	15	12	14	13	13	13	13	13	17	11	31
7/16	40	50	31		34	43	46	43	41	45	42	41	43	38	41	40	37	43	43	41	21	18	50
7/17	46	47	36		37	47	51	41	39	43	38	38	42	38	39	33	33	38	41	36	26	21	51
7/18	49	53	39	40	34	39	46	33	27	31	27	28	28	27	25	22	24	28	29	22	28	22	53
7/19	40	42	22	35	32	26	34	29	28	31	30	30	26	26	25	27	24	26	26	25	21	21	42
7/20	38	39	43	54	52	52	53	49	41	52	49	51	45	45	44	44	42	44	44	39	23	21	54
7/21	38	34	53	44	34	37	38	38	39	41	36	37	41	38	43	34	34	38	38	31	22	15	53
7/22	41	43	52	52	43	51	50	48	55	52	48	48	52	52	52	49	46	53	51	47	17	13	52
7/23	47	49	40	44	34	45	42	43	39	49	42	44	47	46	46	37	40	47	46	39	18	13	49
7/24	42	45	39	42	35	39	50	40	39	45	41	42	41	40	38	36	31	41	40	34	24	20	50
7/25	35	37	14	22	11	17	17	22	13	15	13	14	13	13	13	12	12	13	13	12	21	18	37
7/26	37	36	14	17	19	17	23	23	21	16	13	13	17	14	16	14	8	17	17	14	16	14	37
7/27	30	33	10	19	19	21	18	25	13	19	13	16	18	19	20	9	9	20	18	16	17	11	33
7/28	38	43	12	23	12	23	29	22	9	15	11	13	15	13	13	8	8	13	12	11	24	15	43
7/29	48	49	27	26	28	32	41	26	14	18	13	14	17	16	14	13	11	17	17	15	25	19	49
7/30	44	43	32	38	35	31	39	29	21	21	17	17	18	16	17	16	13	19	19	18	24	21	44
7/31	46	49	41	38	38	38	44	34	25	27	22	24	24	22	22	23	19	24	24	22	31	23	49
AVG	53	49	28	35	30	32	35	30	22	27	24	25	25	24	24	20	20	24	24	21	22	19	46
MAX	52	74	58	54	52	52	53	49	55	52	49	51	52	52	52	49	46	53	51	47	37	46	74