
Spokane Regional Clean Air Agency Air Quality Report - June 2018

Ground-level ozone was in the MODERATE category of the Air Quality Index (AQI) on four days in June (Figure 1). Pollution levels were in the AQI-GOOD category on the remaining 26 days. The maximum AQI value for the month was 74, based on ozone levels on the 8^{th} (8-hour concentration = 0.062 ppm; Spokane-Greenbluff). PM_{2.5} (fine particles) was in the AQI-MODERATE category on the 8^{th} , with an AQI value of 54 (24 hour average mass concentration = 13.4; Airway Heights). Particulate matter, PM₁₀, reached its highest level of the month on the 8^{th} with an AQI value of 34 (GOOD; 24 hour average mass concentration = 37; Spokane-Augusta).

<u>Figure 1</u>: Air Quality Index (AQI) values for June 2018. The data represent the maximum AQI values across all monitoring stations within Spokane County.



See Appendix 1 of this report for information about federal air quality standards or Appendix 2 for a description of the AQI. Daily mass concentrations of $PM_{2.5}$ monitored in June throughout the network are shown in Figure 2.





Figure 2: Multi-station 24-hour average PM_{2.5} for June 2018; Spokane County.

Ground-level ozone is formed when nitrogen oxides and volatile organic compounds chemically react in the presence of sunlight. It is measured in units of parts per million (ppm) in ambient air. Ozone is a strong oxidizer and can damage lung tissue, thereby impairing respiratory function. The main sources of ozone precursors are motor vehicle emissions and refueling, gasoline storage and transport, paints, solvents and industry. In Washington State, it is monitored May through September each year. The federal standard for ground-level ozone in ambient air (0.070 ppm) is based on an 8-hour average concentration (see Appendix 1).

The maximum 8-hour running average ozone concentration for the month was 0.062 ppm measured at Greenbluff on the 8th (Figure 3). Eight hour average ozone concentrations in the range 0.055 to 0.070 ppm are considered "moderate" air quality by the AQI. When concentrations are below that level, air quality is "good" with respect to ground-level ozone.

<u>Figure 3</u>: Eight hour maximum ozone concentrations for the Spokane region in June. The threshold for the moderate category of the AQI for ozone is 0.055 ppm averaged over eight hours. An ozone measurement above 0.070 ppm, averaged over eight hours, is the level of the federal ozone standard. It is not a violation of the standard to exceed this level on a given day because determination of attainment status is based on averaging data over a period of years. See Appendix 1 for more detailed information about attainment of federal air quality standards.



Daily air quality data for June at all monitoring stations in the Spokane region are provided in Appendix 3. Current and historical air quality data can be obtained electronically from Ecology's air monitoring data website, https://fortress.wa.gov/ecy/enviwa/Default.htm.

Tables 1 and 2 contain the maximum AQI values for each pollutant for the month and for the year to date. Table 3 summarizes the year to date daily AQIs by category and compares them to last year's AQIs.

Table 1: Maximum AQI values and pollutant concentrations for this reporting period

Pollutant	AQI/Concentration	Location	Date
O_3	74/0.062 ppm	Spokane-Greenbluff	6/8
PM10	34/37 μg/m3	Spokane, E. Augusta Ave (Augusta & Fiske)	6/8
PM2.5	54/13.4 μg/m3	Airway Heights	6/8

Table 2: Maximum AQI values and pollutant concentrations for calendar year 2018

Pollutant	AQI/Concentration	Location	Date
O_3	74/0.062 ppm	Spokane-Greenbluff	5/15 and 6/8
PM_{10}	65/83 µg/m ³	Spokane, E. Augusta Ave (Augusta & Fiske)	4/27
PM _{2.5} $61/16.9 \mu\text{g/m}^3$		Spokane, E. Augusta Ave (Augusta & Fiske)	1/12

Table 3: AQI summary as of June 30, 2018

Category	Number of Days This Year
Good (0-50)	168
Moderate (51-100)	13
Unhealthy for Sensitive Groups (101-150)	0
Unhealthy (151-200)	0
Very Unhealthy (201-300)	0
Hazardous (>300)	0

Appendix 1 – National Ambient Air Quality Standards

The Clean Air Act requires EPA to set National Ambient Air Quality Standards (NAAQS) for six common air pollutants, carbon monoxide (CO), lead (Pb), nitrogen dioxide (NO₂), particulate matter (PM₁₀ and PM_{2.5}), ground-level ozone (O₃) and sulfur dioxide (SO₂; Table A-1). These are known as "criteria" pollutants because the US EPA established regulatory limits to concentrations in ambient air using human health or environmentally based criteria. Carbon monoxide, particulate matter and ozone are monitored in Spokane County by the Spokane Regional Clean Air Agency (SRCAA) and the Washington State Department of Ecology (Ecology).

Table A-1: National Ambient Air Quality Standards

Pollutan [links to historica NAAQS revi	l tables of	Primary/ Secondary	Averaging Time Level		Form		
Carbon Monoxide (CO)	primary	8 hours 9 ppm		Not to be exceeded more than once per		
	2	primary	1 hour	35 ppm	year		
Lead (Pb)		primary and secondary	Rolling 3 month period	0.15 μg/m ³ (1)	Not to be exceeded		
Nitrogen Dioxide (NO)	primary	1 hour	100 ppb	98th percentile of 1-hour daily maximum concentrations, averaged over 3 years		
		primary and secondary	1 year	53 ppb (2)	Annual Mean		
Ozone (O ₃)		primary and secondary	8 hours	0.070 ppm ⁽³⁾	Annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years		
	PM _{2.5}	primary	1 year	12.0 μg/m ³	annual mean, averaged over 3 years		
Particle Pollution		secondary	1 year	15.0 μg/m ³	annual mean, averaged over 3 years		
(PM)		primary and secondary	24 hours	35 μg/m ³ 98th percentile, averaged			
	PM ₁₀	primary and secondary	24 hours	150 μg/m ³	Not to be exceeded more than once per year on average over 3 years		
Sulfur Dioxide (SO ₂)		primary	1 hour	75 ppb ⁽⁴⁾	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years		
		secondary	3 hours	0.5 ppm	Not to be exceeded more than once per year		

⁽¹⁾ In areas designated nonattainment for the Pb standards prior to the promulgation of the current (2008) standards, and for which implementation plans to attain or maintain the current (2008) standards have not been submitted and approved, the previous standards (1.5 μ g/m³ as a calendar quarter average) also remain in effect.

⁽²⁾ The level of the annual NO₂ standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.

⁽³⁾ Final rule signed October 1, 2015, and effective December 28, 2015. The previous (2008) O_3 standards additionally remain in effect in some areas. Revocation of the previous (2008) O_3 standards and transitioning to the current (2015) standards will be addressed in the implementation rule for the current standards.

⁽⁴⁾ The previous SO_2 standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (2) any area for which implementation plans providing for attainment of the current (2010) standard have not been submitted and approved and which is designated nonattainment under the previous SO_2 standards or is not meeting the requirements of a SIP call under the previous SO_2 standards (40 CFR 50.4(3)), A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the require NAAQS.

Appendix 2 – Air Quality Index

The Air Quality Index (AQI) is EPA's color-coded tool for communicating daily air quality to the public and can be calculated for any of the criteria pollutants except lead, provided monitoring data are available. An index value above 100 indicates that the concentration of a criteria pollutant exceeded the limit established in the NAAQS. Categories of the AQI are "good" (green, 0-50), "moderate" (yellow, 51-100), "unhealthy for sensitive groups" (orange, 101-150), "unhealthy" (red, 151-200), "very unhealthy" (purple, 201-300) and "hazardous" (maroon, 301-500; Table A-2).

Table A-2: Air pollutant breakpoints for the Air Quality Index.

Air Quality Index	Color Code	Index		Break	points		Health Effects
Levels of Health Concern		Numerical Value	O ₃ (ppm) 8-hour	PM _{2.5} (μg/m ³) 24-hour	PM ₁₀ (μg/m³) 24-hour	CO (ppm) 8-hour	
Good	Green	0-50	0.000-0.054	0.0-12.0	0-54	0.0-4.4	Air quality is considered satisfactory and air pollution poses little or no risk.
Moderate	Yellow	51-100	0.055-0.070	12.1-35.4	55-154	4.5-9.4	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.
Unhealthy for Sensitive Groups	Orange	101-150	0.071-0.085	35.5-55.4	155-254	9.5-12.4	People especially sensitive to air pollution may experience health effects. The general public is not likely to be affected. An AQI in this category or above indicates that air pollution exceeds levels acceptable under federal air quality standards.
Unhealthy	Red	151-200	0.086-0.105	55.5-150.4	255-354	12.5-15.4	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.
Very Unhealthy	Purple	201-300	0.106-0.200	150.5-250.4	355-424	15.5-30.4	Health alert: everyone may experience more serious health effects.
Hazardous	Maroon	>300	0.201 to the Significant Harm Level* (0.600 ppm, 2 hour average)	250.5+	425+	30.5+	Health warnings of emergency conditions. The entire population is more likely to be affected.

^{*}The significant harm level (SHL) is set at a level that represents imminent and substantial endangerment to public health.

Appendix 3

Table A-3: Summary air quality data for June for air monitoring stations in Spokane County. The ground-level ozone data are maximum 8-hour running averages in parts per million (ppm) and the PM data are 24-hour averages in micrograms per cubic meter of air (μ g/m³). The ozone monitor (Dept of Ecology) was down June 8th through 14th because of a pump failure. The Broadway PM_{2.5} BAM was down for annual maintenance and calibration June 5th through 11th and offline on the 24th and 25th because the sample tape ran out. The Airway Heights PM_{2.5} TEOM was removed on the 14th because of a construction project at the site and will remain down for about two years. A telemetry system error interrupted the PM₁₀ data from Turnbull June 10th through 15th.

	Date	Ozone Greenbluff (8 hour max, ppm)	Ozone Turnbull NWR (8 hour max, ppm)	PM2.5 Augusta & Fiske BAM (24 hour avg, µg/m)	PM2.5 Broadway & University BAM (24 hour avg, μg/n)	PM2.5 Colbert TEOM (24 hour avg, μg/m)	PM2.5 Airway Heights TEOM (24 hour avg, µg/m)	PM2.5 Monroe & Wellesley nephelometer (24 hour avg, $\mu g^3 \hat{m}$	PM ₁₀ Augusta & Fiske TEOM (24 hour avg, μg/π)	PM10 Turnbull NWR BAM (24 hour avg, μg/π)
	6/1	0.041	0.043	5.2 5.1 6.8 4.1 7.0 7.1 11.7 12.8 3.3 2.5 1.8 4.3 7.2 3.5 5.0 4.2 3.6 5.6	3.4	5.4 5.3 5.3 4.1 5.4 6.3 8.6 12.4	7.9	3.1	20	12
	6/2	0.051	0.047	5.1	5.6 5.4 2.7	5.3	5.6	4.5 3.5 2.1 2.9	15	13
	6/3	0.045	0.047	6.8	5.4	5.3	6.6	3.5	18	14
	6/4	0.048 0.052	0.046 0.050	4.1	2.7	4.1	4.3	2.1	23 22	14 11
ŀ	6/5 6/6	0.055	0.053	7.0		6.3	6.8 7.4	4.5	27	11
ŀ	6/7	0.053	0.055	11.7		8.6	9.9	4.5 5.8	27 31	18 22
ł	6/8	0.062	0.033	12.8		12.4	13.4	11	37	30
ı	6/9	0.032		3.3		4.8	4.0	3.1	7	7
ľ	6/10	0.037		2.5		3.0	3.5	1.7	7 13	,
İ	6/11	0.039		1.8		4.8 3.0 3.6 4.8 5.4	3.5 3.8	1.7 1.5 2.6	12 25	
ı	6/12	0.042		4.3	2	4.8	4.8	2.6	25	
	6/13	0.042		7.2	3.3	5.4	6.5	3.2	34	
	6/14	0.035		3.5	2.2	4.1		1.6	17	
ļ	6/15	0.036	0.039	5.0	3.0	4.5		2.9	17	
ļ	6/16	0.042	0.038	4.2	4 2.7	4.6 4.4		2.5	10	6
ļ	6/17	0.042	0.042	3.6	2.7	4.4		2.8	10	6
	6/18	0.039	0.034	5.6	4.8	5.9 4.4 5.7		2.9 2.5 2.8 3.4 3.4 4.8	18	10
	6/19	0.042	0.046	4.0 6.5	3.6 4.5	4.4		3.4	13 17	7
ŀ	6/20	0.055	0.047	6.5	4.5 5.5	5.7				8
ŀ	6/21	0.047	0.047	6.0 5.9	3.3	7.6 5.9		4.9 5.6	32 24	14 16
	6/23	0.043	0.045	5.3	5.4	5.9		5.1	17	11
	6/24	0.039	0.033	5.5	5.4	5.8		5.6	15	9
l	6/25	0.050	0.048	4.2		3.6		3	34	28
Ì	6/26	0.042	0.044	3.4	2.9	4.2		2	19	13
ľ	6/27	0.053	0.051	5.7	3.3	4.6		2.9	24	19
l	6/28	0.039	0.043	4.8	4.3	6.4		3.2	24	17
ĺ	6/29	0.038	0.040	4.5	2.9	4.7		2.5	19	13
	6/30	0.036	0.038	2.5	2.7	3.8		2.3	16	12
Į	AVG	0.044	0.044	5.3	3.7	5.4	6.5	3.6	20	14
	MAX	0.062	0.055	12.8	5.6	12.4	13.4	11.0	37	30