
## Spokane Regional Clean Air Agency Air Quality Report - November 2023

The daily Air Quality Index (AQI) was in the MODERATE category on 17 days in November and was in the GOOD category on the remaining 13 days (**Figure 1 and Table 1**). The maximum daily AQI was 85, based on a 24-hour average PM<sub>2.5</sub> concentration of 28.5  $\mu$ g/m<sup>3</sup> recorded at Spokane-Augusta & Fiske on the 1<sup>st</sup> and Colbert-E Greenbluff Rd on the 18<sup>th</sup> (**Figure 2 and Table 2**). The maximum AQI for PM<sub>10</sub> was 45 (24-hour PM<sub>2.5</sub> mass concentration = 49  $\mu$ g/m<sup>3</sup>), recorded on the 1<sup>st</sup> at Spokane-Augusta & Fiske.


<u>Figure 1</u>: Air Quality Index (AQI) values for November 2023. The data represent the maximum AQI values across all monitoring stations within Spokane County. Atmospheric high pressure brought dry and calm conditions and deteriorated (AQI-MODERATE) air quality during much of the month.



See Appendix 1 of this report for a description of the AQI, Appendix 2 for information about federal air quality standards, and Appendix 3 for a summary of daily PM<sub>2.5</sub>, and PM<sub>10</sub> concentrations and AQIs across the Spokane-area ambient air monitoring network. Current and historical ambient air quality data can also be obtained from the Washington State Department of Ecology's air monitoring data website, <a href="https://enviwa.ecology.wa.gov/home/map">https://enviwa.ecology.wa.gov/home/map</a>.

Table 1 summarizes the daily AQIs by category for the month and year-to-date and Tables 2 and 3 contain the maximum AQI values for each pollutant for the month and for the year, respectively.

<u>Figure 2</u>: Daily 24-hour average PM<sub>2.5</sub>, all Spokane County monitoring stations, November 2023. Turnbull and Greenbluff data (dashed) are collected using "low-cost" sensors - a technology that, although slightly less accurate than the Agency's regulatory grade monitors, enables the expansion of the monitoring network into areas that would otherwise go unmonitored. A weak cellular signal at Greenbluff causes occasional loss of data.



**Table 1: AQI summary, November 2023** 

Category	Number of days in November	Number of days this year to date
Good (0-50)	13	245
Moderate (51-100)	17	84
Unhealthy for Sensitive Groups (101-150)	0	1
Unhealthy (151-200)	0	2
Very Unhealthy (201-300)	0	1
Hazardous (>300)	0	1

**Table 2:** Maximum AQI values and pollutant concentrations for this reporting period.

Pollutant	AQI		Location	Date
PM <sub>10</sub>	45 (conc. = 49 $\mu$ g/m <sup>3</sup> )	Good	Spokane-Augusta & Fiske	11/1
PM <sub>2.5</sub>	85 (conc. = $28.5 \mu g/m^3$ )	Moderate	Spokane-Augusta & Fiske	11/1
			Colbert-E Greenbluff Rd	11/18

**Table 3:** Maximum AQI values and pollutant concentrations this year.

Pollutant	AQI		Location	Date
Ozone	88 (conc. = 0.066 ppm)	Moderate	Turnbull National Wildlife Refuge	8/19
PM <sub>10</sub>	164 (mass conc. = 281 $\mu$ g/m <sup>3</sup> )	Unhealthy	Spokane Valley – Broadway & Glenn	8/19
PM <sub>2.5</sub>	368 (mass conc. = 317.7 $\mu$ g/m <sup>3</sup> )	Hazardous	Spokane – Greenbluff	8/19

## Appendix 1 – Air Quality Index

The Air Quality Index (AQI) is EPA's color-coded tool for communicating daily air quality to the public and can be calculated for any of the criteria pollutants except lead, provided monitoring data are available. An index value above 100 indicates that the concentration of a criteria pollutant exceeded the limit established in the NAAQS. Categories of the AQI are "Good" (green, 0-50), "Moderate" (yellow, 51-100), "Unhealthy for Sensitive Groups" (USG; orange, 101-150), "Unhealthy" (red, 151-200), "Very Unhealthy" (purple, 201-300) and "Hazardous" (maroon, 301-500; Table A-1).

Table A-1: Air pollutant breakpoints for the Air Quality Index.

Air Quality Index	Color Code	Index		Break	Health Effects		
Levels of Health Concern		Numerical Value	O <sub>3</sub> (ppm) 8-hour	PM <sub>2.5</sub> (μg/m <sup>3</sup> ) 24-hour	PM <sub>10</sub> (μg/m <sup>3</sup> ) 24-hour	CO (ppm) 8-hour	
Good	Green	0-50	0.000-0.054	0.0-12.0	0-54	0.0-4.4	Air quality is considered satisfactory and air pollution poses little or no risk.
Moderate	Yellow	51-100	0.055-0.070	12.1-35.4	55-154	4.5-9.4	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.
Unhealthy for Sensitive Groups	Orange	101-150	0.071-0.085	35.5-55.4	155-254	9.5-12.4	People especially sensitive to air pollution may experience health effects. The general public is not likely to be affected. An AQI in this category or above indicates that air pollution exceeds levels acceptable under federal air quality standards.
Unhealthy	Red	151-200	0.086-0.105	55.5-150.4	255-354	12.5-15.4	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.
Very Unhealthy	Purple	201-300	0.106-0.200	150.5-250.4	355-424	15.5-30.4	Health alert: everyone may experience more serious health effects.
Hazardous	Maroon	>300	0.201 to the Significant Harm Level* (0.600 ppm, 2 hour average)	250.5+	425+	30.5+	Health warnings of emergency conditions. The entire population is more likely to be affected.

<sup>\*</sup>The significant harm level (SHL) is set at a level that represents imminent and substantial endangerment to public health.

## Appendix 2 – National Ambient Air Quality Standards

The Clean Air Act requires EPA to set National Ambient Air Quality Standards (NAAQS) for six common air pollutants, carbon monoxide (CO), lead (Pb), nitrogen dioxide (NO<sub>2</sub>), particulate matter (PM<sub>10</sub> and PM<sub>2.5</sub>), ground-level ozone (O<sub>3</sub>) and sulfur dioxide (SO<sub>2</sub>; Table A-2). These are known as "criteria" pollutants because the US EPA established regulatory limits to concentrations in ambient air using human health or environmentally based criteria. Carbon monoxide, particulate matter and ozone are monitored in Spokane County by the Spokane Regional Clean Air Agency (SRCAA) and the Washington State Department of Ecology (Ecology).

**Table A-2: National Ambient Air Quality Standards** 

Pollutan [links to historical tab reviews	oles of NAAQS	Primary/ Secondary			Form
Carbon Monoxide (CO)		primary	8 hours	9 ppm	Not to be exceeded more than once per
<u>Surrout Monoxide (88)</u>		primary	1 hour	35 ppm	year
Lead (Pb)		primary and secondary	Rolling 3 month period	0.15 µg/m <sup>3</sup>	Not to be exceeded
Nitrogen Dioxide (NO <sub>2</sub> )		primary	1 hour	100 ppb	98th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		primary and secondary	1 year	53 ppb (2)	Annual Mean
Ozone (O <sub>3</sub> )		primary and secondary	8 hours	0.070 ppm	Annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years
		primary	1 year	12.0 μg/m <sup>3</sup>	annual mean, averaged over 3 years
	PM <sub>2.5</sub>	secondary	1 year	15.0 μg/m <sup>3</sup>	annual mean, averaged over 3 years
Particle Pollution (PM)		primary and secondary	24 hours	$35 \mu g/m^3$	98th percentile, averaged over 3 years
	PM <sub>10</sub>	primary and secondary	24 hours	150 μg/m <sup>3</sup>	Not to be exceeded more than once per year on average over 3 years
Sulfur Dioxide (SO <sub>2</sub> )		primary	1 hour	75 ppb (4)	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		secondary	3 hours	0.5 ppm	Not to be exceeded more than once per year

<sup>(1)</sup> In areas designated nonattainment for the Pb standards prior to the promulgation of the current (2008) standards, and for which implementation plans to attain or maintain the current (2008) standards have not been submitted and approved, the previous standards (1.5  $\mu$ g/m³ as a calendar quarter average) also remain in effect.

<sup>(2)</sup> The level of the annual NO<sub>2</sub> standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.

<sup>(3)</sup> Final rule signed October 1, 2015, and effective December 28, 2015. The previous (2008)  $O_3$  standards additionally remain in effect in some areas. Revocation of the previous (2008)  $O_3$  standards and transitioning to the current (2015) standards will be addressed in the implementation rule for the current standards.

<sup>(4)</sup> The previous SO<sub>2</sub> standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (2) any area for which implementation plans providing for attainment of the current (2010) standard have not been submitted and approved and which is designated nonattainment under the previous SO<sub>2</sub> standards or is not meeting the requirements of a SIP call under the previous SO<sub>2</sub> standards (40 CFR 50.4(3)), A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the require NAAQS.

## Appendix 3

<u>Table A-3</u>: November summary air quality data for air monitoring stations in Spokane County. Particulate matter mass concentration is reported as 24-hour averages in micrograms per cubic meter of air ( $\mu$ g/m³). See Appendix 2 for an explanation of the Air Quality Index. A weak cellular connection at Greenbluff resulted in intermittent loss of PM<sub>2.5</sub> sensor data.

	Pollutant Concentration											Ai	r Qua	lity I	ndex	(AQ	I)					
	$PM_{2.5} (\mu g/m^3)$ $PM_{10} (\mu g/m^3)$								$PM_{2.5}$ $PM_{10}$													
			24-]	Hour A	vg			24-Hour Avg														
	s, 12th & Lawson	E Greenbluff Rd	ısta & Fiske	y, Broadway & Glenn	roe & Wellesley	Turnbull NWR (temporary sensor)	mporary sensor)	. BAM	ısta & Fiske	y, Broadway & Glenn		ts, 12th & Lawson	E Greenbluff Rd	justa & Fiske	Spokane Valley, Broadway & Glenn	roe & Wellesley	(temporary sensor)	mporary sensor)		ısta & Fiske	y, Broadway & Glenn	
Date	PM2.5 - Airway Heights, 12th	PM2.5 - Colbert,	PM2.5 - Spokane, Augusta & Fiske	PM2.5 - Spokane Valley, Broadway	PM2.5 - Spokane, Monroe	PM2.5 -	PM2.5 - Greenbluff (temporary	PM10 - Turnbull NWR BAM	PM10 - Spokane, Augusta & Fiske	PM10- Spokane Valley, Broadway &	Date	PM2.5 - Airway Heights, 12th & Lawson	PM2.5 - Colbert,	PM2.5 - Spokane - Augusta & Fiske	PM2.5 -	PM2.5 - Spokane, Monroe &	PM2.5 - Turnbull NWR (temporary sensor)	PM2.5 - Greenbluff (temporary	PM10 - Turnbull NWR	PM10 - Spokane, Augusta	PM10 - Spokane Valley, Broadway	MAXIMUM
11/1	24.0	21.7	28.5	26.5	24.7	17.5	22.2	20 13	49 25		11/		71 77	85	81	77 76	62	74	19	45	33	83 84
11/2 11/3		24.3 12.2	23.0 12.9	27.6 11.5	24.0 13.6	16.3 9.0	23.2	8	25 15		11/2 11/2		51	74 53	84 48			74	13 8	23 14	28 15	
11/3		10.0	9.7	9.5	9.1	3.5	6.2	7	10				42	40		38		26	7	9	9	
11/5		5.7	4.3	4.8	5.5	1.9	0.2	3	8		11/		24			23	8	20	3	7	6	
11/6		6.2	6.2	5.9	5.3	1.5	3.7	4	10		11/0		26				6	15	4	9	6	
11/7		4.0	3.0	3.3	2.7	0.8	1.3	3	10		11/		17	13			3	5	3	9	4	
11/8		6.4	6.3	7.3	5.8	2.2	5.0	4	13	15	11/	3 28	27	26	30	24	9		4	12	14	
11/9		13.8	17.4	16.5	14.8	15.0	15.0	17	23	22	11/9		55	62	60	57	57	57	17	21	20	62
11/10		15.7	18.1	16.6	17.4	7.8	12.5	8	24		11/1		59			62	33		8	22	19	64
11/11	2.6	4.9	3.9	3.9	4.6	1.2	1.1	4	9		11/1		20						4	8	6	
11/12		6.9	5.8	5.3	5.8	1.9	2.0	5	14		11/12		29	24		24			5	13	7	
11/13		5.7	5.3	4.5	5.5	3.9	3.1	5	13	7	11/13		24	22	19	23	16		5	12	6	
11/14		6.0	8.8	8.8	10.0	6.8	7.0	3	20		11/14		25	37	37	42	28	29	3	19	9	
11/15		13.1	16.5	15.4	15.8	8.6	12.8 13.0	8 11	18 19		11/1:		53 55	60 57	58 59	59 60	36 54	52 53	8 10	17 18	15 19	60
11/16 11/17		14.0 21.6	14.8 24.3	16.1 25.9	16.4 25.7	13.4 17.2	26.2	15	33	30	11/10 11/1	45 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	71	77	80	80	62	81	15	31	28	8
11/17		28.5	19.6	12.7	21.2	13.4	25.0	12	26		11/1	45 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	85	67	52	70		78	12	24	13	8:
11/19		7.2	3.5	4.2	5.6	2.5	7.5	4	7		11/1		30				11	31	4	6	5	
11/20		4.8	5.9	8.5	5.7	2.3	5.2	4	18		11/2		20	25	35				4	17	15	
11/21	10.2	10.6	13.2	12.2	10.2	3.7	8.5	5	29				44		51	43			5	27	17	5.
11/22	9.1	11.0	13.5	14.5	11.6	4.1	7.7	4	30		11/2		46	54	56	48		32	4	28	19	5
11/23		6.0	8.0	9.4	6.0	6.4	5.4	5	15	12	11/2:		25	33				23	5	14	11	39
11/24		5.5		14.3		2.8	2.8	3	25	21	11/2		23		56		12	12	3	23	19	
11/25		8.9		11.6		5.8	12.2	3	13				37				24	51			13	
	15.1	21.5		17.7		11.6	18.3	10	22				71									
	11.4	15.7	16.2	19.9			11.2	10	30		11/2			60		53		47		28	29	
	10.0	11.9	15.5	18.7				9	32		11/2		50		65	53			9	30	26	
11/29	7.5	14.1	8.3	9.3	11.5	3.8	16.0	1	13	14	11/2		55	35	39	48	16	59		12	13	59
	12.0	13.9		13.2		9.9	16.6	9	17	19	11/3	50	55	54	53		41	60		16	18	6
AVG		11.7	12.2	12.5		7.2	10.4	7	20		AVO				47	44				18	15	5
MAX	24	28.5	28.5	27.6	25.7	17.5	26.2	20	49	36	MAX	X 76	85	85	84	80	62	81	19	45	33	8